

Organism index

- Abramis brama*, 137
Acacia cornigera, 77–8
Acanthina, 122
Aconitum columbianum, 94–5
Agaricia agaricites, 11, 12
Agrostemma githago, 64, 66
Aleurotracheus jelinekii, 187
Algae
Asterionella formosa, 89–90, 104–5
benthic, 218
Cyclotella meneghiniana, 89–90
Lithothamnion, 48
Synedra ulna, 104–5
Allium tricoccum, 23, 24
Ambrosia artemisiifolia, 26
Anagasta kuhniella, 145
Androsace septentrionalis, 191–2
Anemone hepatica, 204, 206
Anisodorus, 218
Anisopteromalus calandrae, 208
Ants, 77–83, 128
Atta columbica tonsipes, 129
Lasius species, 212
Pseudomyrmex ferruginea, 77–8
Veromessor pergandei, 81, 82, 83, 98, 114
Apanteles glomeratus, 140, 141
Aphids, 125, 130, 132, 189–90
cabbage (*Brevicoryne brassicae*), 139–40, 145
Apodemus sylvaticus, 118, 137
Arabidopsis thaliana, 26
Archaearanea tepidariorum, 142, 143
Ascaridia lineata, 146
Asellus aquaticus, 123
Aspidiotiphagus citrinus, 158
Asterionella formosa, 89–90, 104–5
Astrocaryum mexicanum, 21
Atta columbica tonsipes, 129
Avena barbata, 85–7, 110–11
Avena fatua, 85–7, 110–11, 196, 198, 199
Badgers, 144
Balaenoptera musculus, 173–4
Balanus balanoides, 92–5, 97, 138
Balanus cariosus, 218
Balanus glandula, 218
Barley (*Hordeum vulgare*), 118
Barnacles, 202, 217–18
Balanus balanoides, 92–5, 97, 138
Balanus cariosus, 218
Balanus glandula, 218
Chthamalus stellatus, 92–5, 97
Mitella polymerus, 218
Bats, 222
Bedstraw, Heath (*Galium saxatile*), 216
Bees, Bumble (*Bombus appositus*, *B. flavifrons*), 94–5, 97, 99
Beetles
Callosobruchus chinensis, 64, 118, 208
Callosobruchus maculatus, 63, 64, 68
Colorado (*Leptinotarsa decemlineata*), 65, 181–6, 207
Blowflies (*Lucilia cuprina*), 64, 165–6
Blue tit (*Parus caeruleus*), 99–100
Bombus appositus, 94–5, 97, 99
Bombus flavifrons, 94–5, 97, 99
Bracken (*Pteridium aquilinum*), 200
Bream (*Abramis brama*), 137
Brevicoryne brassicae, 139–40, 145
Bromus sterilis, 84–5
Bromus unioloides, 38
Buttercups (*Ranunculus repens*), 12–13, 24, 199–200, 201
Butterflies, 202, 212
Euphydryas editha bayensis, 214–15
Plebejus argus, 212–14
Cacti
Opuntia inermis, 140–1
Opuntia stricta, 140–1
Senita, 121
Cactoblastis cactorum, 140–1
Cakile edentula, 194, 196–7
Callaspidia defonscolombeii, 142
Callosobruchus chinensis, 64, 118, 208
Callosobruchus maculatus, 63, 64, 68, 208
Capsella bursa-pastoris, 33–7, 64
Carcinus maenas, 120
Cardiaspina albitextura, 118
Carex arenaria, 24
Carex bigelowii, 23
Carriion fly, 115–16
Caryophyllaeus laticeps, 137
Cervus elaphus, 17–19
Chalcophaps indica, 95–6
Chalcophaps stephani, 95–6
Chelonius texanus, 145, 153
Chorthippus brunneus, 6–7
Chrysocharis gemma, 188
Chrysolina quadrigemina, 118
Chthamalus stellatus, 92–5, 97
Clethrionomys glareolus, 118
Cloeon dipterum, 123
Clover, 160–4
Coal tit (*Parus ater*), 100
Coccinella septempunctata, 140, 145
Colorado potato beetle (*Leptinotarsa decemlineata*), 65, 181–6, 207
Columba palumbus, 124
Conyza canadensis, 33–7
Corallina, 218
Corals, 220
Agaricia agaricites, 11, 12
Corncockle (*Agrostemma githago*), 64, 66
Crabs
(*Pagurus species*), 96–7
(*Carcinus maenas*), 120
Cryptus inornatus, 145, 153
Cryptocarya corrugata, 220
Cyclotella meneghiniana, 89–90
Dactylis glomerata, 203–4, 205
Dacus tryoni, 141
Dahlbominus fuscipennis, 152, 153
Damselfly, 133, 134–5
Daphnia species, 133, 134–5, 212
D. magna, 62–3, 135
D. pulex, 131
D. pulicaria, 170–1
Deer, 122, 123
red (*Cervus elaphus*), 17–19
white-tailed (*Odocoileus hemionus*), 20
Delphinium barbeyi, 94–5
Diadromus pulchellus, 140, 141, 145
Diaeretiella rapae, 140
Dioclea megacarpa, 220
Doryphorophaga doryphorae, 182, 184–5
Douglas fir, 127
Doves, Ground (*Chalcophaps/ Gallicolumba*), 95–6
Dragonflies, 202
Drosophila species, 123–4, 142, 143, 207
D. melanogaster, 50, 201
D. pacifica, 121
D. pseudoobscura, 109–10
D. willistoni, 109–10

- Encarsia formosa*, 145, 151
Endocladia, 218
Eotetranychus sexmaculatus, 143–4
Ephestia species, 138
E. cautella, 146–8, 153
E. kuhniella, 153
Erophila verna, 192, 194, 195, 205
Eugenia brachyandra, 220
Euphydryas editha bayensis, 214–15
Euterge globosa, 220

Fescue, Sheep's (*Festuca ovina*), 3, 200, 216
Festuca ovina, 3, 200, 216
Field bean, 39–40, 41
Fiorinia externa, 158
Fir, Douglas, 127
Flax (*Linum usitatissimum*), 42, 43, 44
Fleabane, Canadian (*Conyza canadensis*), 33–7
Fleas (*Spilopsyllus cuniculi*), 124
Flies, 120
 carion, 115–16
 Musca domestica, 152
 Phytomyza ilicis, 188
 Terellia serratae, 157–8, 159
 Urophora stylata, 157–8, 159
 see also Fruitflies
Flour beetles, 92
Flour moths (*Ephestia* species), 138
E. cautella, 146–8, 153
E. kuhniella, 153
Folsomia candida, 171–2
Frogs, 212
Fruitflies
 Dacus tryoni, 141
 Drosophila species, 123–4, 142, 143, 207
 D. melanogaster, 50, 201
 D. pachea, 121
 D. pseudoobscura, 109–10
 D. willistoni, 109–10
Fuchsia, 24, 43, 45

Galium saxatile, 216
Gallicolumba rufigula, 95–6
Gall midge (*Rhopalomyia californica*), 158
Glycine species, 217
 G. javanica, 88, 97
 G. max, 39
Golden rod (*Solidago*), 102
Grasshoppers (*Chorthippus brunneus*), 6–7
Great tit (*Parus major*), 9–10, 63, 99–100, 140, 202–3
Guillemot, Common (*Uria aalge*), 50–1
Guppies, 123
 Lebistes reticulatus, 172–3

Haliclona, 218
Hares, Snowshoe (*Lepus americanus*), 4, 118, 164–5
Helianthus annuus, 39–40
Helianthus tuberosus, 128
Helix aspersa, 130–1
Hermit crabs (*Pagurus* species), 96–7
Heron, 122
Heterospilus prosopidis, 118
Hieracium pilosella, 3
Holcus lanatus, 199–200
Holcus mollis, 132–3
Hordeum vulgare, 118
Humming-birds, 144
Hydrobia ulvae, 98, 99, 114
Hydrobia ventrosa, 98, 99, 114
Hydrometra myrae, 126
Hydryphantes tenuabilis, 126
Hypericum perforatum, 118
Hypochaeris radicata, 130–1

Ichnura elegans, 133
Ixodes trianguliceps, 137

Katherina tunicata, 218

Laemophloeas minutus, 118
Larch Tortrix (*Zeiraphera diniana*), 65
Lariophagus distinguendus, 208
Larkspur (*Delphinium barbeyi*), 94–5
Lasius, 212
Leaf-miner (*Phytomyza ilicis*), 188
Lebistes reticulatus, 172–3
Leek moth, 141, 144
Leptinotarsa decemlineata, 65, 181–6, 207

Lepus americanus, 4, 118, 164–5
Lime, 130
Limpets, 202, 218
 Patella cochlear, 48–9, 65
Linum usitatissimum, 42, 43, 44
Linyphia triangularis, 131
Lithothamnion, 48
Littorina sitkana, 97
Lobster, Rock (*Palinurus cygnus*), 169
Lolium perenne, 45, 46, 133
Loxostege stricalis, 145, 153
Lucilia cuprina, 64, 165–6
Lymantria dispar, 158
Lynx canadensis, 4, 118

Marsh tit (*Parus palustris*), 99–100, 222
Mattesia dispersa, 118
Mayflies (*Cloeon dipterum*), 123
Meadow grass (*Poa annua*), 14–17, 72–4
Mexican tree palm (*Astrocaryum mexicanum*), 21

Mice
 House (*Mus musculus*), 118
 Wood (*Apodemus sylvaticus*), 118, 137
Mink (*Mustela vison*), 125–6
Minuartia glabra, 102–3
Minuartia uniflora, 103
Mitella polymerus, 218
Monkshood (*Aconitum columbianum*), 94–5
Moths, 189–90
 Cactoblastis cactorum, 140–1
 leek, 141, 144
 Lymantria dispar, 158
 Plodia interpunctella, 64, 136
Musca domestica, 152
Musk-rat (*Ondatra zibethicus*), 125–6
Mus musculus, 118
Mussels, 120, 144, 217–18
 Mytilus californianus, 122, 218
 Mytilus edulis, 122
Mustela nivalis, 203
Mustela vison, 125–6
Mytilus californianus, 122, 218
Mytilus edulis, 122

Nasonia vitripennis, 152
Nectarina reichenowi, 202, 203
Neodiprion sertifer, 134, 152, 153
Notonecta glauca, 122–3, 148, 149

Oak (*Quercus robur*), 130
Oat
 Avena barbata, 85–7, 110–11
 Avena fatua, 85–7, 110–11
Odocoileus hemionus, 20
Ondatra zibethicus, 125–6
Ooencyrtus kuwanai, 158
Opuntia inermis, 140–1
Opuntia stricta, 140–1
Oryzaephilus surinamensis, 92
Owls, 222
 tawny (*Strix aluco*), 118, 125, 203, 204, 222

Pagurus beringanus, 96–7
Pagurus granosimanus, 96–7
Pagurus hirsutiusculus, 96–7
Palinurus cygnus, 169
Panicum maximum, 88, 97, 217
Parus ater, 100
Parus caeruleus, 99–100
Parus major, 9–10, 63, 99–100, 140, 202–3
Parus montanus, 100, 222
Parus palustris, 100, 222
Patella cochlear, 48–9, 65
Pheidole species, 83
 Ph. gilvicensis, 82
 Ph. sitarches, 82

- Phleum arenarium*, 87, 88, 111
Phleum pratense, 25
Phytomyza ilicis, 188
Phytoseiulus persimilis, 145
Picea sitchensis, 42, 45
Pieris brassicae, 141
Pigeon, Wood (*Columba palumbus*), 124
Pisaster ochraceus, 217–19
Planchonella, 220
Plantago major, 33–7
Plantain (*Plantago major*), 33–7
Plebejus argus, 212–14
Pleolophus basizonus, 134, 153
Plodia interpunctella, 64, 136
Poa annua, 14–17, 72–4
Pogonomyrmex barbatus, 81
Pogonomyrmex californicus, 81
Pogonomyrmex desertorum, 81
Pogonomyrmex magnacanthus, 82
Pogonomyrmex maricopa, 81
Pogonomyrmex pima, 81, 83
Pogonomyrmex rugosus, 81
Polygonatum verticillatum, 21–2
Poppies, 27
Porphyra, 218
Pseudomyrmex ferruginea, 77–8
Pteridium aquilinum, 200
Pteromalus elevatus, 158

Quercus robur, 130

Ragwort (*Senecio jacobaea*), 7–9
Ranunculus repens, 12–13, 24, 199–200, 201
Red deer (*Cervus elaphus*), 17–19
Rhizobium, 88, 97
Rhodomela, 218
Rhopalomyia californica, 158
Rhyssa persuasoria, 144
Rumex acetosella, 216–17
Ryegrass, 160–4
Lolium perenne, 45, 46, 133

Saccharomyces cerevisiae, 135
Sardine, Pacific (*Sardinops caerulea*), 168–9
Sardinops caerulea, 168–9
Sawfly, 134
Scheelea rostrata, 220
Searlesia dira, 97
Sea rocket (*Cakile edentula*), 194, 196–7
Sedge (*Carex arenaria*), 24
Sedum smallii, 102
Senecio jacobaea, 7–9

Senecio vulgaris, 68
Senita cactus, 121
Sheep, Tasmanian, 62–3
Shepherd's purse (*Capsella bursa-pastoris*), 33–7, 64
Slugs, 133
Snails, 130–1
Acanthina species, 122
Helix aspersa, 130–1
Hydrobia ulvae, 98, 99, 114
Hydrobia ventrosa, 98, 99, 114
Thais species, 122, 138, 218
Solidago, 102
Sorrel (*Rumex acetosella*), 216–17
Soybeans (*Glycine max*), 39, 215
Spiders
Archaearanea tepidariorum, 142, 143
Linyphia triangularis, 131
Spilopsyllus cuniculi, 124
Spondias mombin, 220
Sponge (*Haliciona*), 218
Spruce (*Picea sitchensis*), 42, 45
Starfish, 144, 217–18
Pisaster ochraceus, 217–19
Sterculia apetala, 220
Strix aluco, 118, 125, 203, 204, 222
Sunbird, Golden winged (*Nectarina reichenowii*), 202, 203
Sunflowers (*Helianthus annuus*), 39–40
Synedra ulna, 104–5
Syrphus, 118, 142

Tapeworms (*Caryophyllaeus laticeps*), 137
Terellia serratulae, 157–8, 159
Tetranychus urticae, 145
Tetrastichus cirsii, 158
Thais species, 122
Th. canaliculata, 138
Th. emarginata, 138, 218
Th. lamellosa, 138
Thrips imaginis, 178–80
Thymus drucei, 3
Ticks (*Ixodes trianguliceps*), 137
Timothy grass (*Phleum pratense*), 25
Tits (*Parus* species)
P. ater, 100
P. caeruleus, 99–100
P. major, 9–10, 63, 99–100, 140, 202–3
P. montanus, 100, 222
P. palustris, 100, 222
Torymus baccharidis, 158
Trialeurodes vaporariorum, 145, 151

Tribolium castaneum, 92
Tribolium confusum, 92
Trifolium repens, 102
Triticum aestivum, 40, 42
Tubificids, 123, 124
Tuna, Yellow fin, 169
Typhlodromus longipilus, 144
Typhlodromus occidentalis, 143–4

Uria aalge, 50–1
Urophora stylata, 157–8, 159

Venturia canescens, 136, 138, 146–8, 153
Veromessor pergandei, 81, 82, 83, 98, 114
Viburnum tinus, 187
Vicia faba, 39–40, 41
Voles (*Clethrionomys glareolus*), 118
Vulpia fasciculata, 47, 68, 87, 88, 111, 192–3, 196

Wagtail, Pied, 120
Wasps (*Heterospilus prosopidis*), 118
Water-boatmen (*Notonecta glauca*) 122–3, 148, 149
Waterfleas (*Daphnia* species), 133, 134–5, 212
D. magna, 62–3, 135
D. pulex, 131
D. pulicaria, 170–1
Weasels (*Mustela nivalis*), 203
Weevils, Bean
Callosobruchus chinensis, 64, 118
Callosobruchus maculatus, 63, 64, 68
Whale, Blue (*Balaenoptera musculus*), 173–4
Wheat (*Triticum aestivum*), 40, 42
Whelks (*Thais* species), 122, 138
Th. emarginata, 138, 218
Whiteflies
Aleurotracheus jelinekii, 187
Trialeurodes vaporariorum, 145, 151
Wildebeest, 132
Wild oat (*Avena fatua*), 85–7, 110–11, 196, 198, 199
Willow tit (*Parus montanus*), 100, 222
Woodpeckers, 222
Wood pigeon (*Columba palumbus*), 124

Yeast (*Saccharomyces cerevisiae*), 135

Zea mays, 38
Zeiraphera diniana, 65